

VOWST—the only FDA-approved microbiome treatment in oral capsules
that helps prevent *C. diff* from coming back again

STOP RECURRENT *C. DIFF* FROM ATTACKING AGAIN

VOWST[™]
(fecal microbiota spores,
live-brpk) capsules



INDICATION

What is VOWST? VOWST is a prescription medicine used to prevent *Clostridioides difficile* (*C. diff*) infection from coming back in people 18 years of age or older after antibiotic treatment for *C. diff* infection has been completed.

VOWST is not intended for treatment of *C. diff* infection.

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).

IMPORTANT SAFETY INFORMATION

Do not take VOWST at the same time as antibiotics. VOWST contains live bacteria and antibiotics can interfere with VOWST.

Swallow each capsule whole. DO NOT crush, chew, or break the capsule. See Patient Information for complete information about how to take VOWST.

YOU DID NOTHING WRONG TO GET *C. DIFF*

C. diff can happen to anyone, but there are certain factors that can increase your risk of it coming back

- ⬆ Taking antibiotics
- ⬆ Being 65 years of age or older
- ⬆ Staying in a hospital or nursing home
- ⬆ Having a weakened immune system
- ⬆ Use of proton-pump inhibitor (PPI) therapy for acid reflux
- ⬆ Being exposed to *C. diff* germs




While antibiotics can kill *C. diff* bacteria, they are a main risk factor for getting a recurrence

After you've had *C. diff* at least 2 times, your risk of it coming back again increases up to 65%

When *C. diff* comes back, you may recognize some common symptoms. Talk to your doctor if you are having*:




Frequent, uniquely bad-smelling diarrhea



Painful stomach cramps



Fever



Nausea and loss of appetite

*These are the common recurrent *C. diff* symptoms, but not all possible symptoms.

RECURRENT *C. DIFF* HAS BEEN TYPICALLY TREATED WITH ANTIBIOTICS ALONE

VOWST™
(fecal microbiota spores,
live-brpk) capsules

The role of antibiotics in *C. diff*



Antibiotics are an important piece of treatment because they kill *C. diff* bacteria that cause your infection

Unfortunately, antibiotics do not restore the balance of good and bad bacteria in your gut, which can lead to another *C. diff* recurrence



Your intestine is full of trillions of bacteria that make up the gut microbiome

IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of VOWST are:

- bloated abdomen
- constipation
- diarrhea
- fatigue
- chills

These are not all the possible side effects of VOWST. Call your doctor for medical advice on side effects. You are encouraged to report negative side effects to the FDA. Call 1-800-FDA-1088 or visit www.fda.gov/MedWatch.

Why the balance of good and bad bacteria is important



In a healthy gut microbiome, good and bad bacteria are balanced



But if your gut gets disrupted, your body's natural defense against *C. diff* is weakened



This causes some people to get *C. diff* again and again

VOWST can help prevent another recurrence

Please see Important Safety Information throughout, and [click here for Patient Information](#) and full [Prescribing Information](#).

HOW DOES VOWST WORK?

VOWST™
(fecal microbiota spores,
live-brpk) capsules

VOWST is believed to work in the following way to prevent recurrent *C. diff*

FIRST ANTIBIOTICS




Kills *C. diff* bacteria that cause your infection



THEN VOWST



Works to add back good bacteria to your gut



Helps restore the balance of good and bad bacteria in your gut microbiome



Can help prevent *C. diff* from coming back again

IMPORTANT SAFETY INFORMATION (CONTINUED)

Before taking VOWST, tell your doctor about all your medical conditions, including if you: have kidney disease because you may not be able to take the magnesium citrate laxative; or have any other medical conditions now or have had before, are pregnant or planning to get pregnant, or are breastfeeding.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and supplements.

See page 12 to learn how to take VOWST

Please see Important Safety Information throughout, and [click here for Patient Information](#) and full [Prescribing Information](#).

C. DIFF DOESN'T HAVE TO COME BACK AGAIN

A clinical study showed that 2 months after taking VOWST, most people were recurrence free and continued to be even 6 months later


IMPORTANT SAFETY INFORMATION (CONTINUED)

Do not take VOWST at the same time as antibiotics. VOWST contains live bacteria and antibiotics can interfere with VOWST.

Swallow each capsule whole. DO NOT crush, chew, or break the capsule.

See Patient Information for complete information about how to take VOWST.

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).



After finishing VOWST



RECURRENCE FREE AT 2 MONTHS

compared to 6 out of 10 people taking antibiotics alone



STILL RECURRENCE FREE AT 6 MONTHS

compared to 5 out of 10 people taking antibiotics alone

VOWST™
(fecal microbiota spores, live-brpk) capsules

MOST COMMON SIDE EFFECTS OF VOWST

VOWST™
(fecal microbiota spores,
live-brpk) capsules

VOWST was generally well tolerated—the most common side effects were mild to moderate

In a clinical study, these side effects were seen in people taking VOWST and people taking antibiotics alone

	People taking VOWST	People taking ANTIBIOTICS ALONE
Bloated abdomen	31%	29%
Fatigue	22%	22%
Constipation	14%	11%
Chills	11%	8%
Diarrhea	10%	4%



These are not all the possible side effects of VOWST—be sure to tell your doctor about any side effect that bothers you or does not go away

You may report side effects to Aimmune Therapeutics, Inc. at 1-833-246-2566, or to the FDA at 800-FDA-1088 or at www.fda.gov/MedWatch

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).



HOW DO I TAKE VOWST?

There are 3 steps to taking VOWST

1 ANTIBIOTICS Finish the full course of antibiotics

Within 1-3 days of finishing antibiotics

2 LAXATIVE Drink 10 ounces of a laxative (magnesium citrate)

Tell your doctor if you have kidney disease because you may not be able to take the magnesium citrate laxative

Do not eat or drink (except for a small amount of water) for at least 8 hours before starting your 1st dose of VOWST—for example, fast overnight

The next day after laxative

3 VOWST Take VOWST before your first meal on an empty stomach

VOWST is 4 capsules taken orally once a day for 3 days in a row



Swallow each capsule whole. DO NOT crush, chew, or break the capsules. Do not take VOWST at the same time as antibiotics or the laxative

Watch the [How to Take VOWST](#) video

12 Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).

VOWST[™]
(fecal microbiota spores,
live-brpk) capsules

Using a laxative is important because it helps clear out leftover antibiotics from your gut so that VOWST can work properly

One-dose,
one-time laxative



Only 10 ounces

VS.

Typical
colonoscopy prep



128 ounces

“

“That’s less than a can of soda.”

~Person with recurrent *C. diff**

Magnesium citrate typically causes a bowel movement within 30 minutes to 6 hours

*Quote from a participant in a market research interview (09/22).

IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of VOWST are:

- bloated abdomen
- constipation
- diarrhea
- fatigue
- chills

These are not all the possible side effects of VOWST. Call your doctor for medical advice on side effects. You are encouraged to report negative side effects to the FDA. Call 1-800-FDA-1088 or visit www.fda.gov/MedWatch.

VOWST CONTAINS* THE SAME GOOD BACTERIA...

...Found naturally in people's healthy gut microbiomes

VOWST™
(fecal microbiota spores,
live-brpk) capsules



Not actual size of capsules

*Inactive ingredients: glycerol, saline.

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).



FDA APPROVED

VOWST is not a probiotic. It is an FDA-approved microbiome treatment in oral capsules composed of good bacteria isolated from the stool of qualified donors



UNDERGOES STRICT QUALITY CONTROL

Qualified donors are carefully screened and samples are routinely tested during the VOWST manufacturing and purification process

IMPORTANT SAFETY INFORMATION (CONTINUED)

Before taking VOWST, tell your doctor about all your medical conditions, including if you: have kidney disease because you may not be able to take the magnesium citrate laxative; or have any other medical conditions now or have had before, are pregnant or planning to get pregnant, or are breastfeeding.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and supplements.

THE VOWST VOYAGE™ SUPPORT PROGRAM HELPS YOU ON YOUR TREATMENT JOURNEY*

VOWST™
(fecal microbiota spores,
live-brpk) capsules



CASE MANAGER CALL

After your doctor helps enroll you in the VOWST Voyage Support Program, a case manager will verify whether VOWST is covered under your insurance plan and **let you know which specialty pharmacy will ship your VOWST prescription**



WELCOME KIT SHIPMENT

Next, the case manager will contact you to answer any questions you may have about the program **and coordinate the shipment of a welcome kit, which may contain your laxative, directly to your home**



DELIVERY SCHEDULING

Finally, you will receive a scheduling call for your VOWST prescription—**it is very important you answer the call to accept your VOWST shipment**



DOSING TEXT REMINDERS

Once you get your shipment of VOWST, **you'll get helpful text message reminders** each time you should take a dose of VOWST (you will only receive text messages if you opt in to receive them)

*You do not have to enroll in the VOWST Voyage Support Program to be prescribed VOWST.

Visit [VOWST.com](https://www.vowst.com) to learn more



To enroll in VOWST Voyage or to learn more, talk to your doctor or call us at 888-356-5444

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).

THE VOWST VOYAGE SUPPORT PROGRAM ALSO OFFERS FINANCIAL ASSISTANCE TO ELIGIBLE PATIENTS

VOWST™
(fecal microbiota spores,
live-brpk) capsules

VOWST Co-Pay Savings Program

The VOWST Co-Pay Savings Program may be used to reduce your out-of-pocket cost for VOWST to as little as \$0, with a maximum savings amount of \$9,100 per calendar year. Offer not valid for patients whose prescriptions are reimbursed by Medicare, Medicaid, or other state or federal healthcare program, or where prohibited by law

To read the full Terms, Conditions and Eligibility requirements visit VOWSTcopay.com

VOWST Patient Assistance Program

Uninsured or underinsured patients may be eligible to receive VOWST at no cost if you meet financial and other eligibility requirements

VOWST Voucher Program

Eligible patients experiencing significant access issues related to insurance coverage may receive VOWST for free. Offer not valid where prohibited by law



If you have concerns about affording your VOWST prescription, please contact us at 888-356-5444 and we may be able to help

Please see Important Safety Information throughout, and click here for [Patient Information](#) and full [Prescribing Information](#).

IMPORTANT SAFETY INFORMATION

Do not take VOWST at the same time as antibiotics. VOWST contains live bacteria and antibiotics can interfere with VOWST.

Swallow each capsule whole. DO NOT crush, chew, or break the capsule. See Patient Information for complete information about how to take VOWST.

The most common side effects of VOWST are:

- bloated abdomen
- chills
- fatigue
- diarrhea
- constipation

These are not all the possible side effects of VOWST. Call your doctor for medical advice on side effects. You are encouraged to report negative side effects to the FDA. Call 1-800-FDA-1088 or visit www.fda.gov/MedWatch.

Before taking VOWST, tell your doctor about all your medical conditions, including if you: have kidney disease because you may not be able to take the magnesium citrate laxative; or have any other medical conditions now or have had before, are pregnant or planning to get pregnant, or are breastfeeding.

Tell your doctor about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and supplements.

INDICATION

What is VOWST?

VOWST is a prescription medicine used to prevent *Clostridioides difficile* (*C. diff*) infection from coming back in people 18 years of age or older after antibiotic treatment for *C. diff* infection has been completed.

VOWST is not intended for treatment of *C. diff* infection.

[Click here for Patient Information and full Prescribing Information.](#)

AT THE FIRST SIGN OF *C. DIFF* RECURRENCE, TALK TO YOUR DOCTOR ABOUT VOWST



Visit VOWST.com to access special features, including the *How to Take VOWST* video, the Test Your *C. diff* Stuff quiz, answers to frequently asked questions, and more!

IMPORTANT SAFETY INFORMATION (CONTINUED)

Do not take VOWST at the same time as antibiotics. VOWST contains live bacteria and antibiotics can interfere with VOWST.

Swallow each capsule whole. DO NOT crush, chew, or break the capsule. See Patient Information for complete information about how to take VOWST.

Please see Important Safety Information throughout, and click [here for Patient Information](#) and full [Prescribing Information](#).

VOWST[™]
(fecal microbiota spores,
live-brpk) capsules

SERES and the Seres logo, VOWST, VOWST Voyage, and the Vowst logo are trademarks of Seres Therapeutics, Inc. Unless otherwise indicated, all trademarks are owned by Société des Produits Nestlé S.A., Vevey, Switzerland or used with permission.

© 2023 Nestlé. VOW-PM-USA-0030 11/23

